

تاریخ: ۹۵/۴/۲۸

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESREH ۲۰۱۶, HELSINKI, FINLAND

- *O-··*\. Human reproduction keynote lecture Modifiable and non- modifiable risk factors for poor sperm morphology
- *O*--- *T*. Long-term consequences of maternal obesity on the health of offspring
- O-·· $\tau$ . Influence of the duration between removal of cumulus cells and oocyte retrieval on fertilization and embryonic development
- $O-\cdot\cdot$ \*. Late activation with calcium ionophore is associated with chromosome retention by the oocyte following completion of meiosis II and extrusion of the second polar body
- O-·· $\Delta$ . A prospective randomized controlled trial investigating embryonic development and clinical outcome after using  $Ca^{Y^+}$  ionophore in cases with previous fertilization arrest



تاریخ: ۹۵/۵/۲

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

O-··9. Shift in pH during transition to the embryonic genome impacts embryo development O-··9. Prospective randomized study comparing human embryo development in a microwell group culture dish (Primo Vision dish) or in a standard dish with individual droplets O-··8. Do not disturb the embryos until day 8: preliminary results of a double blind

prospective randomized controlled trial

O cdots cdots. Optimization of the ovarian reserve in Poor Responder patients by ovarian autologous transplantation of mobilized-bone marrow derived stem cells



تاریخ: ۹۵/۵/۵

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- O-+ FY. Optimizing IVF outcome by monitoring Serum progesterone level during ovarian stimulation
- O-11. Very young women are at risk of having a high embryo aneuploidy
- P-۴. Dual trigger with GNRH and HCG compared with a Standard dose of HCG in patients with few follicles in IVF

O 1994 Constinut feelthholding CNN for proventing overlan human etimolotics Condrama



تاریخ: ۹۵/۵/۱۱

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- *O--*\\\alpha. Prediction model for live birth in intracytoplasmic sperm injection using testicular extracted sperm
- *O-- \9. Prediction model for obtaining spermatozoa with TESE in men with non-obstructive azoospermia*
- *O--* \Y. Meaning of DNA fragmentation in relation to the sperm source and ART outcome
- $O-\cdot$  \9. Clinical freeze preservation of whole human testicular tissue: the practicality of prefreeze in vitroculture (IVC) at  $\nabla \cdot \hat{A}$  °C to insure good post-thaw sperm motility

ارائه دهنده: دكتر بهرامي



تاریخ: ۹۵/۵/۲۵

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- *O-. Choosing the appropriate insemination method according to sperm DNA fragmentation level*
- O-• TT. Co-expression of the estrogen receptor beta splice variant isoform  $\Delta$  with estrogen receptor alpha selectively augments estrogen responsiveness of endometrial epithelial cells O-• TT. Regulation of angiogenesis-related prostaglandin FT-induced VEGF and CXCL- $\Delta$  factors in endometriosis
- *O--*۲۴. Seminal plasma mediates metaplasia in endometriosis, via transcriptional repressors (SNAIL and ZEB)
- 0-. 7a. Detection of cancer stem cell phenotype within endometrial mesenchymal stem cells



تاریخ: ۹۵/۵/۳۰

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

*O*-• $\tau$ \. Incidence, origin and type of an euploidy seen in human preimplantation blastocysts: concurrent analysis using single nucleotide polymorphism (SNP) arrays and next generation sequencing (NGS).

O-  $ilde{r}$  $ilde{r}$ . Mutations in TUBB $\wedge$  cause a multiplicity of phenotypes in human oocytes and early embryos

O-• ٣٣. Results of the ESPART randomized controlled trial investigating recombinant luteinizing hormone supplementation for controlled ovarian stimulation in poor ovarian responders aligned with the Bologna criteria

O-• T\*. Are AMH level and AFC useful predictors of outcomes in poor ovarian responders? A post hoc analysis of the ESPART randomized controlled trial

O-- T0. Optimization of outcome through individualized dosing in predicted poor



تاریخ: ۹۵/۶/۲

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- O-• YF. Hypoxia and hypoxia inducible factor -\in the human and murine endometrium: a role in the pathogenesis of prolonged, heavy menstrual bleeding
- O-. TV. Genetic diseases and aneuploidies can be detected with a single blastocyst biopsy:a new clinical successful approach
- O-. Th. Clinical outcome derived after transfer of embryos with chromosomal mosaicism
- *O--*۲9. The clinical significance of segmental aneuploidy in human oocyes and preimplantation embryos
- O-+ \*\*. Embryos showing mosaicism in trophoectoderm cells can achieve good pregnancy

ارائه دهنده: دکتر نیک نیاز



تاریخ: ۹۵/۶/۷

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

O- $\cdot$ \۲. Is fertility treatment an additional perinatal risk factor in women over  $\cdot$  years old? O- $\cdot$ \ $\cdot$ . Predictive value of very low levels of serum Anti-M $\tilde{a}$ \ $\cdot$ llerian hormone for pregnancy rate

O-+ 14. Perinatal outcomes following oocyte donation versus autologous IVF: analysis of



تاریخ: ۹۵/۶/۲۱

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

 $O-\cdot \Delta 9$ . Day  $\lor$  blastocysts prove beneficial for preimplantation genetic screening cycles.

 $O-\cdot \Delta V.$  Time-lapse analysis of preimplantation embryos affected by single chromosome abnormalities in PGS cycles

O- AL. Evidence that differences between embryology laboratories can influence the rate of mitotic errors, leading to increased chromosomal mosaicism, with significant implications

ارائه دهنده. دکتر نیک نیاز



تاریخ: ۹۵/۷/۴

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- $O-\cdot \Delta 9$ . Quantification of mitochondrial DNA in preimplantation embryos: a tool to predict implantation potential of chromosomally normal embryos
- *O--9-.* Clinical implications of mitochondrial DNA quantification on pregnancy outcomes: a blinded prospective non-selection study
- *O--9\.* How to measure success in ART: Using national registry data to inform patient, provider and policy decision making
- O-+97. The construction and the validation of an ART global score to quantitate an ART process
- O--98. Performance heterogeneity of \$1 IVF centers on cumulative live birth rate:



تاریخ: ۹۵/۷/۶

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

- 1. Effects of platelet-rich plasma in a model of bovine endometrial inflammation in vitro
- 7. Autologous platelet-rich plasma promotes endometrial growth and improves pregnancy outcome during in vitro fertilization
- v. Optimized Preparation Method of Platelet-Concentrated Plasma and Noncoagulating Platelet-Derived Factor Concentrates: Maximization of Platelet Concentration and Removal of Fibrinogen



تاریخ: ۹۵/۷/۱۱

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

 $O \cdot \text{TV}$  Cost-effectiveness of ovarian reserve testing in an IVF program; the OPTIMIST study  $O \cdot \text{TA}$  Testosterone pre-treatment in poor responders treated with GnRH analogues and gonadotrophins for in vitro fertilization: a meta-analysis

O-+94 Risk factors for ectopic pregnancy in assisted conceptions: secondary analysis of human fertilization and embryology authority (HFEA) data

O-+9A Prevention of adhesions post (spontaneous) abortion (PAPA study); a randomized controlled trial evaluating application of hydronic acid (HA)



تاریخ: ۹۵/۷/۱۸

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- *O--*۷*\.* He said, she said: gender differences in causal explanations for infertility/fertility problems
- *O--YY. Endometriosis is associated with depression and anxiety still at premenopausal age a population based cohort analysis*
- O-. YT. Psychological morbidity of women who experience miscarriage: impact of a specific counselling training for residents using simulation
- O-· Y\*. A meta-analysis of maternal psychosocial effects of twins and multiple births following assisted conception or natural conception/ART singleton births
- O-+ VA. Psychosocial adjustment after failed fertility treatment: a meta analytical and

ارائه دهنده: دکتر بهرامی



تاریخ: ۹۵/۷/۲۵

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- O-· YF Improvement of ovarian tissue survival after cryopreservation with anti-apoptotic drugs supplementation of transport and freezing media
- *O--YY Attempts to improve human ovarian tissue grafting with novel matrices for tissue fusion and regeneration*
- O- · YA In vitro culture of human ovarian cortical strips in gas permeable dishes improves quality, viability and progression of follicles
- $O-\cdot$  Y9 Do viable human prenatal follicles recover after enzymatic isolation and verification?
- O-- AS Extensive sequencing of the embryo: implications and complications



تاریخ: ۹۵/۸/۲

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

- O--9-. Molecular mechanisms of the supernumerary X chromosome in the XXY\* mouse model
- O- 98. Cumulus growth pattern of in vitro matured cumulus-oocyte-complexes (COC) of transsexual persons obtained during cryopreservation of ovarian tissue correlates with the maturation status.
- O-.95. The difference in size between male and female pronuclei immediately before pronuclear membrane break down (PNMBD) identifies embryos that have potential for successful live birth
- O-•A $\Delta$ . The relation between cell size and developmental stage in human day Y/day Y embryos is a predictor for blastocyst formation on day  $\Delta$
- 0-1.4. Evaluation of the effects produced by volatile organic compounds (VOCs) over



تاریخ: ۹۵/۸/۹

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

 $O{ ext{-}}$   $\circ$   $\circ$  Late pregnancy outcomes and complications in women with threatened miscarriage

O-99. effectivness of treatment in secondary prevention of obstetric complications in APS

O-· V·reccurent pregnancy loss is not associated with an increase breast cancer risk

*O-- ۹1 Treatment options for infertility in Klinefelter patients* 

 $O-\cdot$ 97. Effect of the timing of oocyte insemination or injection on fertilization and embryo



تاریخ: ۹۵/۸/۱۶

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

- 1. The Role of Endometrial Receptivity Array in Repeated Implantation Failure
- 7. Intrauterine Insemination of PBMC before Embryo transfer in patients with Repeated Implantation Failure
- **\(\tau\)**. Oxidative stress: a potential link between emotional wellbeing and immune response

ارائه دهنده: دکتر بهرامی



تاریخ: ۹۵/۸/۲۳

مكان: مركز تحقيقات سلامت بارورى زنان

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

O- $\land \cdot \triangle$ . Worse by the hour: in vitro aging of oocytes lowers the chance of achieving a pregnancy but does not affect live birth rates.

O-1.5. The role of intracytoplasmic sperm injection (ICSI) for non-male factor infertility in women aged f and over

*O*-۱-۷. *Pre-zygotic transfer (PZT): a pilot study in poor prognosis patients* 

O-1.A. Cleavage-stage embryo cryopreservation/warming and blastocyst stage embryo transfer is more beneficial over blastocyst stage embryo cryopreservation/warming strategy



تاریخ ۹۵/۹/۷

مكان سالن كنفرانس بخش نازايي بيمارستان الزهرا

عنوان مقالات مورد بررسى:

مقالات ارائه شده در کنگره ESHRE ۲۰۱۶, HELSINKI, FINLAND

O-11 ER map: a new comprehensive and reliable endometrial receptivity test

 $O-\\\\$  Enhanced SUMOylation of HOXA impairs endometrial receptivity and embryo implantation

O-118 Impact of  $S1 \cdot \cdot \cdot A1 \cdot$  protein silencing on the decidualization process and secretory transformation of endometrial stromal and epithelial cells, of fertile women

O-\\\ Quantification of low frequency variants of the mitochondrial DNA (mtDNA) in single cells by massive parallel sequencing (MPS)

ارایه دهنده: دکتر فتاحی