

تاریخ ۹۷/۱/۲۱

ژورنال کلاب بیمارستان الزهرا

مكان سالن كنفرانس بخش نازايي بيمارستان الزهرا

بررسى مقالات ESHRE ۲۰۱۷

O--- $\tau$  Non-invasive prenatal testing (NIPT) - state of the art

O-YY Spent Blastocyst Media and Blastocoel Fluid are not reliable DNA sources for preimplantation genetic diagnosis of aneuploidies and monogenic disorders

O-. The Development and application of a novel strategy to explore blastocoel fluid and spent culture media as a source of embryonic DNA

O-•  $\Upsilon$ 9 Non-Invasive PGS reveals the existence of complementary aneuploidy between DNA obtained from trophectoderm biopsy versus DNA in spent culture medium in the same embryo O-•  $\Upsilon$ • Superiority of array Comparative Genome Hybridization (aCGH) over Next Generation Sequencing (NGS) for PGD for reciprocal translocations

ارایه : امین علیزادگان



تاریخ ۹۷/۱/۲۸

ژورنال كلاب بيمارستان الزهرا

مكان سالن كنفرانس بخش نازايي بيمارستان الزهرا

بررسى مقالات ESHRE ۲۰۱۷

 $O-\cdots \Delta$  Study of embryo surface variation and contraction pattern as potential predictors of embryo chromosomal content

 $O-\cdot \Delta$  Ultra-low ( $\Upsilon'$ .) oxygen tension significantly improves human blastocyst development and quality

*O--Y\** Impact of post-warming culture duration on clinical outcomes of vitrified good-quality blastocyst transfers: a prospective randomized study

 $O-\cdot$  Ya Live birth after frozen-thawed blastocyst transfer is correlated with the day of blastocyst expansion

ارایه: دکتر بهرامی



تاریخ ۹۷/۲/۱۸

ژورنال كلاب بيمارستان الزهرا

مكان سالن كنفرانس بخش نازايي بيمارستان الزهرا

بررسي مقالات ESHRE ۲۰۱۷

*O--*+ $\tau$  *New strategies for ovarian preservation during cancer treatment: Elimination of PUMA confers protection against chemotherapy-mediated oocyte loss* 

O-. A Long-term effect of childhood cancer treatment on ovarian function markers: final results of the DCOG-LATER VEVO study

O-19a Spontaneous activation of human primordial follicles and subsequent follicular development to the antral stage during matrix-free three-dimensional culture

ارايه: معصومه اسمعيل وند



## تاریخ ۹۷/۲/۲۵

ژورنال کلاب بیمارستان الزهرا

مكان سالن كنفرانس بخش نازايي بيمارستان الزهرا

بررسي مقالات ۲۰۱۷ ESHRE

O-۲۵. The comparison of effects of ranibizumab, zoledronic acid, danazol, buserelin acetate and dienogest on experimental model of endometriosis in rats

O-YA\ ER stress-induced apoptotic cell death in human endometrial cell cycle

O-YAY Expression patterns of mRNAs and miRNAs in adenomyosis and their potential uses as diagnostic biomarkers

O-τωτ Pelvic Hypoxic Microenvironment Promotes Endometrial Stromal Cells Ectopic Adhesion Ability via TGF-β\/Smadτ Signaling Pathway in Endometriosis

O- $\Upsilon$  $\Delta \Delta$   $TGF\beta \lor$  promotes ectopic epithelial cells activation through cadherin- $\lor \lor$  to aggravate invasion joint inflammation in endometriosis

ارایه: دانیال محمدی